U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-8.

-			SECTION	A - PROPERTY INF	ORMAT	ION	For Insurance Company Use:	
	Building Owner's Name						Policy Number	
A2.	Building Street Address	(including Apt., l	Jnit, Suite, and/or Bldg.	No.) or P.O. Route and	Box No.		Company NAIC Number	
	City NORMAN St	ate OK ZIP Co	de 73072					
13. 3EG	Property Description (L : 300' SOUTH NW COR	ot and Block Num R SEC. 20,T9N,R	nbers, Tax Parcel Numb 3W,I.M., CLEVELAND (er, Legal Description, e COUNTY, OK. EAST 5	tc.) 50',SOUTI	H 396,WEST 55	0', NORTH 396' TO POB	
	Building Use /e n Res	idential Non-Res	idential, Addition, Acces	sory, etc.) RESIDENT	TAL			
	Latitude/Longitude: Lat					Horizontal D	etum: NAD 1927 🗷 NAD 1983	
16.	Attach at least 2 photog	graphs of the build	ding if the Certificate is t	being used to obtain flo	od insurar	ice.		
47.	Building Diagram Numl	ber 1		10	ess succes		ahad aasaa aasalda:	
A8.	For a building with a cr	awl space or encl	osure(s), provide	sq ft		e footage of atta	ched garage, provide: ached garage 520 sq ft	
	a) Square footage of a b) No. of permanent f	d openings in the attached garage						
	enclosure(s) walls	within 1.0 foot abo	ove adjacent grade				t above adjacent grade	
	c) Total net area of flo			sq in	penings in A9.b sq ir			
Т		SECT	ION B - FLOOD INSU	JRANCE RATE MAR	(FIRM)	INFORMATIO	N	
31. CIT	NFIP Community Name Y OF NORMAN 400046	& Community No		County Name VELAND			B3. State OK	
B4	. Map/Panel Number	B5. Suffix	B6. FIRM Index	B7. FIRM Panel		B8. Flood	B9. Base Flood Elevation(s) (Zor	
			Date 9/26/2008	Effective/Revised D 9/26/2008	ate	Zone(s) AE	AO, use base flood depth) 1131.5	
	40027C0260	н		5/00/2007-5-5			1101.0	
10.	Indicate the source of		evation (BFE) data or ba			9.		
	☐ FIS Profile		Community Determin	ed Other (D	escribe) _			
11.	Indicate elevation datu	m used for BFE in	n Item B9: NGVD	1929 NAVD 19		Other (Describ		
12	Is the building located	in a Coastal Barri	er Resources System (C	BRS) area or Otherwis	e Protect	ed Area (OPA)?	☐Yes ⊠No	
	Designation Date			CBRS OP	A			
		SECTION	C - BUILDING ELE	VATION INFORMAT	ION (SU	RVEY REQUI	RED)	
1. 1	Building elevations are l							
	*A new Elevation Certificate will be required when construction of the building is complete.							
	A new Elevation Certific	cate will be require	☐ Construction Drawing ed when construction of	the building is complet	e.	onstruction*	A=01	
2. 1	A new Elevation Certific Elevations – Zones A1-	cate will be require	ed when construction of vith BFE), VE, V1-V30,	the building is complet	e.		A=01	
2. 1	A new Elevation Certific Elevations – Zones A1- below according to the I	cate will be require A30, AE, AH, A (volution)	ed when construction of with BFE), VE, V1-V30, V specified in Item A7.	the building is complet V (with BFE), AR, AR/A	e.		#=01	
2. 1	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC	cate will be require A30, AE, AH, A (volulding diagram s	ed when construction of with BFE), VE, V1-V30, V specified in Item A7. I GIS Vertical Datum N	the building is complet V (with BFE), AR, AR/A	e.		#=01	
2. 1	A new Elevation Certific Elevations – Zones A1- below according to the I	cate will be require A30, AE, AH, A (volulding diagram s	ed when construction of with BFE), VE, V1-V30, V specified in Item A7.	the building is complet V (with BFE), AR, AR/A	e. ., AR/AE,	AR/A1-A30, AR/	AH, AR/AO. Complete Items C2.a-g	
2. 1	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments	cate will be require A30, AE, AH, A (v building diagram s OTY OF NORMAN BM 4	ed when construction of with BFE), VE, V1-V30, Vepecified in Item A7. I GIS Vertical Datum Notes 332	the building is complet V (with BFE), AR, AR/A VD88	e. A, AR/AE, Ch	AR/A1-A30, AR/	AH, AR/AO. Complete Items C2.a-g	
2. [A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments	cate will be require A30, AE, AH, A (v building diagram s OTY OF NORMAN BM 4	ed when construction of with BFE), VE, V1-V30, V specified in Item A7. I GIS Vertical Datum N	the building is complet V (with BFE), AR, AR/A VD88 re floor)	e. A, AR/AE, Ch ⊠ feet	AR/A1-A30, AR/	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
2. [A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl.) Top of the next high	cate will be required A30, AE, AH, A (validing diagram is a coulding diagram is a coulding diagram is a coulding basement, ther floor	ed when construction of with BFE), VE, V1-V30, Verpecified in Item A7. I GIS Vertical Datum Notes 332 Crawl space, or enclosure	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A	e. AR/AE, Ch	eck the measure	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only) erto Rico only)	
2. [A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl.) Top of the next high	cate will be required A30, AE, AH, A (validing diagram is a coulding diagram is a coulding diagram is a coulding basement, ther floor	ed when construction of with BFE), VE, V1-V30, Vepecified in Item A7. I GIS Vertical Datum Notes 332	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A only) N/A	e. A, AR/AE, Ch	eck the measure meters (Pue	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only) erto Rico only) erto Rico only)	
2. 1	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (t	cate will be require A30, AE, AH, A (v building diagram's OTY OF NORMAN BM # uding basement, her floor st horizontal struct op of slab)	ed when construction of with BFE), VE, V1-V30, Vertical Datum Note 1 GIS Vertical Datum Note 2 Grawl space, or enclosure tural member (V Zones)	the building is complet V (with BFE), AR, AR/A VD88 re floor)	c. AR/AE, Ch Geet Geet Geet Geet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
)	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (top) Lowest elevation of	cate will be require A30, AE, AH, A (v building diagram's OTY OF NORMAN BM # uding basement, her floor st horizontal struct op of slab) f machinery or eq	ed when construction of with BFE), VE, V1-V30, Vertical Datum Note 1 GIS Vertical Datum Note 2 Grawl space, or enclosure tural member (V Zones uipment servicing the beautiful Note 2 Grawl Space).	the building is complet V (with BFE), AR, AR/A VD88 re floor)	c. AR/AE, Ch Geet Geet Geet Geet	eck the measure meters (Pue	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
)	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig b) Bottom of the lowe d) Attached garage (t b) Lowest elevation of (Describe type of elevation of the lowest elevation	cate will be require A30, AE, AH, A (v building diagram s OTY OF NORMAN BM # uding basement, her floor st horizontal struct op of slab) f machinery or equipment in Com	ed when construction of with BFE), VE, V1-V30, Vereified in Item A7. I GIS Vertical Datum Notes and Secretary Space, or enclosure stural member (V Zones uipment servicing the burnents)	the building is complet V (with BFE), AR, AR/A VD88 re floor)	Ch Geet Geet Geet Geet Geet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
)	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig b) Bottom of the lowe d) Attached garage (t b) Lowest elevation of (Describe type of et f) Lowest adjacent (fi	cate will be require A30, AE, AH, A (v building diagram s DTY OF NORMAN BM # uding basement, her floor st horizontal struct op of slab) f machinery or equipment in Cominished) grade (LA)	ed when construction of with BFE), VE, V1-V30, Vereified in Item A7. I GIS Vertical Datum Notes and Secretary space, or enclosure stural member (V Zones uipment servicing the burnents) AG)	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7	Ch AR/AE, Ch Geet Geet Geet Geet Geet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
)	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (t e) Lowest elevation o (Describe type of e	cate will be require A30, AE, AH, A (v building diagram s DTY OF NORMAN BM # uding basement, her floor st horizontal struct op of slab) f machinery or equipment in Cominished) grade (LA)	ed when construction of with BFE), VE, V1-V30, Vereified in Item A7. I GIS Vertical Datum Note 332 crawl space, or enclosure tural member (V Zones uipment servicing the burnents) AG)	the building is complet V (with BFE), AR, AR/A VD88 re floor)	Ch AR/AE, Ch Geet Geet Geet Geet Geet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
)	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (t e) Lowest elevation o (Describe type of e f) Lowest adjacent (fi	cate will be require A30, AE, AH, A (validing diagram so DTY OF NORMAN BM 4 uding basement, her floor st horizontal struct op of slab) f machinery or equipment in Cominished) grade (LA finished) grade (HA	ed when construction of with BFE), VE, V1-V30, Vereified in Item A7. I GIS Vertical Datum Note 332 crawl space, or enclosure tural member (V Zones uipment servicing the burnents) AG)	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7 1134.1 1134.5	Ch AR/AE, Ch Geet Geet Geet Geet Geet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. ento Rico only)	
) : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (to e) Lowest elevation of (Describe type of e) Elevation of the lowest adjacent (file) Highest adjacent (file)	cate will be required. A30, AE, AH, A (volution diagram sonty OF NORMAN BM 4 uding basement, ther floor st horizontal structor op of slab) f machinery or equipment in Comminished) grade (L4 finished) grade (L4 finished) grade (H4 SECTIO open and sealed)	ed when construction of with BFE), VE, V1-V30, Vereified in Item A7. IGIS Vertical Datum Not 332 crawl space, or enclosus stural member (V Zones uipment servicing the boundary) AG) AG) ON D - SURVEYOR, Expressions and surveyor, engineering with the servicing street.	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7 1134.5 ENGINEER, OR ARC	Ch AR/AE, Feet Feet Feet Feet Feet Feet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
7 This info	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (the e) Lowest elevation of (Describe type of e) f) Lowest adjacent (f) g) Highest adjacent (f) s certification is to be signation.	cate will be required. A30, AE, AH, A (validing diagram is a compared. BM # uding basement, ther floor is thorizontal structor op of slab) f machinery or equipment in Commished) grade (LA finished) grade (LA finished) grade (LA finished) grade (Handal and sealed in the present of the commission on the commission on the commission on the commission of the commission	ed when construction of with BFE), VE, V1-V30, Vereified in Item A7. I GIS Vertical Datum Note 332 crawl space, or enclosus stural member (V Zones uipment servicing the burnents) AG) AG)	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7 1134.5 ENGINEER, OR ARC neer, or architect authors my best efforts to interest.	Ch AR/AE, Ch Geet Geet Geet Geet Feet Feet Feet Feet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only)	
This info	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (the e) Lowest elevation of (Describe type of e) f) Lowest adjacent (f) g) Highest adjacent (f) s certification is to be signation.	cate will be required. A30, AE, AH, A (validing diagram's party OF NORMAN BM # will be reflected by the regular basement, ther floor statement may be required and sealed in the information on statement may be required.	ed when construction of with BFE), VE, V1-V30, Vapecified in Item A7. IGIS Vertical Datum Not 332 crawl space, or enclosus stural member (V Zones uipment servicing the boundary) AG) AG) ON D - SURVEYOR, Expression of this Certificate represente punishable by fine or inverted to the service of the ser	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7 1134.5 ENGINEER, OR ARC neer, or architect authors my best efforts to interest.	Ch AR/AE, Ch Geet Geet Geet Geet Feet Feet Feet Feet	eck the measure meters (Puemeters	arto Rico only) erto Rico only)	
This info	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (to e) Lowest elevation of (Describe type of e) f) Lowest adjacent (f) Highest adjacent (f) s certification is to be signation. I certify that the	cate will be required. A30, AE, AH, A (validing diagram son the provided or statement may be statement.	ed when construction of with BFE), VE, V1-V30, Vapecified in Item A7. IGIS Vertical Datum Not 332 crawl space, or enclosus stural member (V Zones uipment servicing the boundary) AG) AG) ON D - SURVEYOR, Expression of this Certificate represente punishable by fine or inverted to the service of the ser	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7 1134.5 ENGINEER, OR ARC neer, or architect authors my best efforts to interest.	Ch AR/AE, AR/AE, Geet Geet Geet Geet Geet Geet Geet Geet	eck the measure meters (Puemeters	AH, AR/AO. Complete Items C2.a-g ement used. erto Rico only) ON ation	
This info	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (t e) Lowest elevation o (Describe type of e f) Lowest adjacent (f) g) Highest adjacent (f) s certification is to be si mation. I certify that the derstand that any false Check here if commen	cate will be required. A30, AE, AH, A (validing diagram son the provided or statement may be statement.	ed when construction of with BFE), VE, V1-V30, Vapecified in Item A7. IGIS Vertical Datum Not 332 crawl space, or enclosus stural member (V Zones uipment servicing the boundary) AG) AG) ON D - SURVEYOR, Expression of this Certificate represente punishable by fine or inverted to the service of the ser	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 1134.1 1134.5 INGINEER, OR ARC neer, or architect authors my best efforts to interprisonment under 18	Ch AR/AE, AR/AE, Feet Feet Feet Feet Feet Feet Feet Feet	eck the measure meters (Puemeters	arto Rico only) erto Rico only)	
2. I	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig c) Bottom of the lowe d) Attached garage (to e) Lowest elevation of (Describe type of e) f) Lowest adjacent (f) g) Highest adjacent (f) s certification is to be signation. I certify that the derstand that any false Check here if commen	cate will be required. A30, AE, AH, A (validing diagram son the provided or statement may be statement.	ed when construction of with BFE), VE, V1-V30, Verent BFE), VE, V1-V30, Verent BFE), VE, V1-V30, Verent BFE), VE, V1-V30, Verent BFE, Vertical Datum Not 332 Crawl space, or enclosure current member (V Zones uipment servicing the boundary) Construction of the boundary of the Servicing the boundary of the Servicing the boundary of the Servicing the servicing the punishable by fine or in back of form.	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7 1134.5 ENGINEER, OR ARC neer, or architect author ts my best efforts to int mprisonment under 18 License N	Character And Aracter Aracter And Aracter And Aracter Aracter And	eck the measure meters (Puemeters	arto Rico only) erto Rico only) ON	
This info	A new Elevation Certific Elevations – Zones A1- below according to the I Benchmark Utilized CC Conversion/Comments Top of bottom floor (incl b) Top of the next hig b) Bottom of the lowe d) Attached garage (t d) Lowest elevation o (Describe type of e d) Lowest adjacent (fi g) Highest adjacent (fi g) Highest adjacent (fi g) Check here if comment tifier's Name CARL Will b) OWNER	cate will be required. A30, AE, AH, A (validing diagram son the provided or statement may be statement.	ed when construction of with BFE), VE, V1-V30, Vapecified in Item A7. I GIS Vertical Datum Not 332 crawl space, or enclosus stural member (V Zones uipment servicing the burnents) AG) ON D - SURVEYOR, Expression of the punishable by fine or in back of form.	the building is complet V (with BFE), AR, AR/A VD88 re floor) 1135.60 N/A. only) N/A. 1135.0 uilding 1134.7 1134.5 ENGINEER, OR ARC neer, or architect authors my best efforts to interprisonment under 18 License N CARL WILLYARD SU	Ch AR/AE, feet	eck the measure meters (Puemeters	ement used. erto Rico only) ON Attorn PLACE SEAL	

IMPORTANT: In these space	es, copy the corresponding informati	on from Section A	a 1	For Insurance Company Use:	
Building Street Address (including 2301 72 nd NW	Apt., Unit, Suite, and/or Bldg. No.) or P.O. F	Route and Box No.		Policy Number	
City NORMAN State OK ZIP Co	ode 73072		1	Company NAIC Number	
SECT	ION D - SURVEYOR, ENGINEER, OR	ARCHITECT CERT	IFICATION (CONT	INUED)	
	Certificate for (1) community official, (2) insu				
Comments LOWEST EQUIPME					
Signature Cauf	Whlles and	Date 12/17/2008		☐ Check here if attachments	
SECTION E - BUILDING	ELEVATION INFORMATION (SURVEY	NOT REQUIRED)	FOR ZONE AO AN		
and C. For Items E1-E4, use nat E1. Provide elevation informatic grade (HAG) and the lowes a) Top of bottom floor (inclu- b) Top of bottom floor (inclu- E2. For Building Diagrams 6-8 (elevation C2.b in the diagrams E3. Attached garage (top of sla E4. Top of platform of machine E5. Zone AO only: If no flood of ordinance? Yes SECT The property owner or owner's au or Zone AO must sign here. The	iding basement, crawl space, or enclosure) is iding basement, crawl space, or enclosure) is with permanent flood openings provided in Sams) of the building is fe	ment used. In Puerto e boxes to show whetl s	Rico only, enter meter her the elevation is abo feet meters al feet meters al or 9 (see page 8 of Ins ove or below the H w the HAG. t meters abov accordance with the c in Section G. NTATIVE) CERTIFIC one A (without a FEM)	bove or below the highest adjacent bove or below the HAG. bove or below the LAG. structions), the next higher floor IAG. be or below the HAG. community's floodplain management CATION A-issued or community-issued BFE)	
Comments					
	SECTION G - COMMUNITY	INFORMATION (OPTIONAL)	Check here if attachmen	
The local official who is authorized	by law or ordinance to administer the comm	unity's floodplain mar	agement ordinance ca	an complete Sections A, B, C (or E),	
and G of this Elevation Certificate.	Complete the applicable item(s) and sign b	elow. Check the mea	surement used in Item	is G8. and G9.	
G1. The information in Section	on C was taken from other documentation the ertify elevation information. (Indicate the so	at has been signed ar urce and date of the e	nd sealed by a licensed levation data in the Co	d surveyor, engineer, or architect who imments area below.)	
G2. A community official con	npleted Section E for a building located in Zo	one A (without a FEMA	A-issued or community	-issued BFE) or Zone AO.	
G3. The following information	(Items G4G9.) is provided for community	floodplain manageme	nt purposes.		
G4. Permit Number	G5. Date Permit Issued	G6. Dat	e Certificate Of Compl	iance/Occupancy Issued	
G7. This permit has been issued for	or: New Construction Sub	stantial Improvement			
G8. Elevation of as-built lowest flo	or (including basement) of the building:		meters (PR) Datum		
G9. BFE or (in Zone AO) depth of	flooding at the building site:	feet	meters (PR) Datum	_	
Local Official's Name		Title			
Community Name	Telephone				
Signature		Date			
mments					

Building Photographs See Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2301 72 nd NW	Policy Number
City NORMAN State OK ZIP Code 73072	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



Building Photographs Continuation Page

		For Insurance Company Use:
ilding Street Address (inc. 31 72 nd NW	cluding Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
City NORMAN State OF	ZIP Code 73072	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."

